

smsglobal^o

SMSGlobal – MM7
May 2010

Copyright SMSGlobal Pty Ltd (AU) & Global Messaging FZ-LLC (UAE)

No part of this document may be reproduced except as authorised by written permission.

The copyright and foregoing restrictions extend to reproduction in all media.

© SMSGlobal Pty Ltd. All rights reserved.

CONFIDENTIAL

MM7-API

Contents

MM7-API	3
Preface	3
Introduction	3
Server Details	3
SMSGlobal Contact Details	4

MM7-API

Preface

Welcome to the SMSGlobal MM7-API. This document provides a reference for all features available to you via the MM7 interface for sending MMS.

Introduction

The MM7-API allows you to integrate your Application (Client) to SMSGlobal (Vendor) allowing you to send MMS via the MM7 protocol.

The MM7 protocol is based on the concept of Web Services and uses SOAP and HTTP for communication. The multimedia messages are sent to the MMS Relay/Server with HTTP POST method. The body of the post contains XML data about the delivery and the multimedia message as a MIME-multipart attachment.

Server Details

Parameter	Description
IP/DOMAIN	http://www.msglobal.com.au/mms/mm7.php
PORT	80
SYSTEM ID	[Username]
PASSWORD	[Password]

SMSGlobal Contact Details

SMSGlobal Headquarters

1/75 Lorimer St
Docklands, VIC 3008
AUSTRALIA

T: 1300 883 400
T: +61 3 9095 6245
F: +61 3 9646 8837

SMSGlobal EMEA Office

3015 Shatha Tower
Dubai Media City, Dubai
UNITED ARAB EMIRATES

T: +971 4 440 9600
F: +971 4 445 8467

PO Box 502014 – Dubai, UAE

Web Address: www.smsglobal.com

Support: <http://www.smsglobal.com/support/>